

Auto Payroll Techniques<sup>TM</sup>
P. O Box 43961, 00100
Nine West Westlands
Tel: +254 727 325 417

Email: autopayrollhrms@gmail.com

Payroll Service Providers

# PRIME PERSONAL PROTECTIVE EQUIPMENTS (PPES)



Your Safety Our Concern!

# FEET PROTECTION



#### **VAULTEX**

Article: SGB

Standard: EN ISO 20345:2011 S3 SRC

Sizes: 39-46 Style: Ankle

Upper:Breathable Genuine leather Sole: Double Density PU black/black

Lining: Black mesh fabric

Function: antistatic,puncture resistant steel midsole,shock proof,antislip, steel

toe cap,oil and fuel resistant

#### **Applications areas:**

Construction, Manufacturing



#### ROCKLANDER

Conforming to BS/CE EN 20345:2004

C/w Steel Toe and Steel Midsole, Double Density Polyurethane Sole

Shock Absorbing Heel Antistatic and Oil/ Acid/ Pure Upper Leather

Comfort Fit Anti Slip

Comfort Insole

Size: MEDIUM ANKLE



#### **ULTIMATE PLUS**

Article: SGB

Standard: EN ISO 20345:2011 S3 SRC

Function: antistatic, puncture resistant steel midsole, shockproof, antislip, steel toe cap,

oil and fuel resistant.

Sizes: 39-46 Style: Ankle

Upper: Breathable Genuine leather Sole: Double Density PU black/black

Lining:Black mesh fabric

#### **Applications Areas**

Construction, Manufacturing

### FEET PROTECTION

#### **EXECUTIVE MANAGER S3**

Article: Executive Manager EN ISO 203445:20 S3 SRC

Sizes: 39-46

Weight (s.41): 540 gr.

**Model description:** Leather shoe, water repellent, black, cambella lining, anti-static, shock proof, anti-slip composite toe cap S3 PU sole + rubber part.

**Application areas:** 

Construction, Manufacturing



#### **Precaution**

Maintain of the shoe: To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products .Do not dry your shoes on a radiator, or nearby a heat source



#### **SMARTGIRL S3**

Article: Smartgirl

EN ISO 20345:2011 S3 SRC Sizes: 36-42 Weight (s.37): 460 gr. Model description: Leather shoe,

lady shoe,water repellent,black, nylon mesh lining,antistatic, puncture resisntant steel sole, shock proof,antistatic,puncture resistant steel sole,shock proof, antislip,steel toe cap,s3 PU/Pu sole

#### **Application areas**

Construction, Manufacturing

## **SAFETY GUMBOOTS**

# VAULTEX GUMBOOTS (Seel Toe)

Euronorm EN345 S4 SRA

Sizes: 36-47

Weight (s.41) 1120 gr.

Model description: PVC shoe,

waterproof, white, antistatic, shock proof,

antislip, steel toe, S4, PVC sole.

Application Areas: Food industry, kitchens





# HEAVY DUTY SAFETY GUMBOOT

- -Injection molded construction for 100% waterproof protection.
- -Flexible upper material stays supple in cold temperatures to make walking easier.
- -Tougher and flexible outer-sole material for good abrasion resistance.
- -Excellent for use in: construction, farming, agriculture and aquaculture.



#### **C&P SAFETY GUMBOOTS**

Heavy duty Product of Kenya used industries Used in production areas Euronorm EN345 S4 SRA

Sizes: 36-47

Weight (s.41) 1120 gr.

Model description: PVC shoe, waterproof, white, antistatic,

# **SAFETY WORK WEAR**



#### **OVERALLS**

Heavy, high quality Poly

Cotton overalls

Color: Red ,Dark Blue,

Orange,Light Blue **Size:** Medium to 3XL



#### DUST COATS

Heavy, high quality Poly

Cotton Dustcoats

Color: Red ,Dark Blue, Orange,Light Blue,white

Size: Medium to 3XL



#### REFLECTIVE VESTS

Fabric: 100% Polyster Tricot

Size: Free, Fluorescent

Yellow & Orange Type: 2 strip & 4 Strip

Confirms to requirements

of EN471



#### **CHEF UNIFORMS**

Chef jackets, aprons, caps, half aprons, scuffs



#### **BEE SUITS**

Suit, Gloves



COLD ROOM UNIFORMS



#### SPRAY OVERALLS/ SUIT

Fabric: PVC /Polyester Rain Suit Attached hood with drawstrings and stoppers Storm front with Zipper and Snaps Closure Inner wind cuffs, 2 pockets with flaps in front



#### **PVC RAINCOAT ONLY**

Fabric: PVC /Polyester Rain Suit
Detachable hood with drawstrings and stoppers
Storm front with Zipper and Snaps Closure
2 slash pockets with flaps in front



#### **SECURITY UNIFORMS**

Shirt, trouser, cap, sweater, belt, lanyard, holder, security boots

# — WELDING EQUIPMENTS



#### EATHER SLEEVES

A Grade Leather Grey Cotton with black piping border, Adjustment with buckle



#### EATHER APRON

A Grade Leather Grey Cotton with black piping border, Adjustment with buckle

Size: Short, long



#### LEATHER LEG **GUARD** + SHOE COVER

Size 16", grey cotton, full back Velcro for adjustment, Elastic under shoe covering.



#### WELDER LEATHER **JACKET**

A Grade Leather Grey Cotton, Black piping border, adjustable button on sleeves



#### HELMET TYPE WELDING SHIELD

Tough and moisture proof Lift front lens holder are insulated Comply with CE ANSI Z87 CSA Z94.3



#### HAND HELD WELDING SHIELD

Tough and moisture proof Lift front lens holder are insulated Comply with CE ANSI Z87 CSA Z94.3



#### **GAS WELDING GOGGLES**

Used in gas welding, cutting, and brazing operations.



#### AUTO DARKENING WELDING HELMET

Durable Automatic Light



#### **AUTO DARKENING** HELMET

Lens Shade: 3, 5 to 8 / 8 to 13 Plate height: 2-2/5", plate

width: 3-4/5" Headgear: Ratchet

## **GLOVES**



#### LATEX INDUSTRY RUBBER/ CHEMICAL GLOVES

Nature latex industrial glove 2 Color Construction: Orange inner sole,black outer un-lined

SIZE: 100gms 14" 200gms 14" 18"

CE Approved Comply with EN 407 & EN388



#### **NITRILE GLOVES**

Green Nitrile, abrasion cut and puncture resistant, extensive chemical protection

CE Approved Comply with EN388. 374-3,374-2



SHOCKPROOF ELECTRIC GLOVES ELECTROSOFT (MADE IN FRANCE)

**Standard: GB17622-1998 equivalent IEC60903-2002** 



#### **DIAMOND GRIP GLOVES**

10 Gauge polyster or T/c liner, palm coated with 100% natural rubber, crinkle finish

CE Approved Comply with EN388



# COTTON GLOVES PLAIN GLOVES

100% cotton and poly cotton seamless gloves **Size:** 10.5"

CE Approved Company with EN 407 & EN388



#### **DOTTED GLOVES**

100% cotton and poly cotton seamless gloves

Size: 10.5" 1 SIDE, 2 SIDES

CE Approved Comply with EN 420 & EN388

# **GLOVES**



#### GREY LEATHER WELDING GLOVES WITH INNER LINING EUROSAFETY

A grade leather, full inner lining, full back leather piping covering to seem

Size: 10".14", 16", 18"

CE Approved Comply with EN 407 & EN388



#### RED LEATHER WELDING GLOVES WITH INNER LINING EUROSAFETY

A Grade leather, full inner fleece lining, full back leather piping covering to seem

Size: 14", 16", 18"

CE Approved Comply with EN 407 & EN388



#### CREAM GREY & BLUE CANVAS RUBBERIZED CUFF COW SPLIT LEATHER DOUBLE PALM

Rigger style palm lined, stripped cotton back & rubberized cuff, **Size:** 10.5"

CE Approved Comply with EN 407 & EN388



#### YELLOW & BLUE COW SPLIT LEATHER DOUBLE PALM

Rigger style lined, stripped cotton back & rubberized cuff,

Size: 10.5"

CE Approved Comply with EN



# BLUE/BROWN LEATHER WELDING GLOVES WITH DOUBLE PROTECTION

A grade Leather, full inner flees lining, full brown leather piping covering to seem, brown double palm for extra protection,

Size: 16"

**CE Approved Company with** 

EN 407 & EN388



#### RED SINGLE DEEP PVC GLOVES EUROSAFETY

Red PVC double dipped; rough finish interlock lined

CE Approved Comply with EN 420 & EN388

# FALL PROTECTION



SAFETY HARNESS WITH SOCK **ABSORBER CHEST AND LEG** ADJUSTING BACK **SUPPORT** 



**ENERGY** ABSORBER

NYLON ROPE LANYARD CE EN355



**INDUSTRIAL** SAFETY BELT

> -DOUBLE -SINGLE





Brand: PANACEA



EN 341-Class A

# **RESCUE KIT**

■100m x Rope – Semi-static Rope 10.5mm EN1891

⊠4 x Connector – Steel Oval Carabiner EN362

⊠1 x Descender EN12841 / EN341

⊠1 x Lanyard – Flat Sling EN354 / EN795

**図1** x Lanyard − Anchor Sling EN795

図1 x Ratchet − Rescue Sling EN354 / SANS50354

☑1 x Bag – Rescue kit Rope Bag



# ROAD SAFETY



TRAFFIC CONES

(50CM, 75CM, 100CM)



TRAFFIC CONTROL BATON LIGHT



#### WARNING TAPES

- -RED & WHITE
- -BLACK & YELLOW
- -250MTRS/500MTRS







# **SAFETY TIPS**

- 1. Use tools, equipment and machinery properly
- 2. Report any unsafe conditions
- 3. Wear all necessary safety gear
- 4. Keep your workplace clear from clutter
- 5. Stay hydrated
- 6. Practice good posture when sitting or lifting
- 7. Take regular breaks
- 8. Be aware of your surroundings

# **EYE PROTECTION**

(VAULTEX UD-DARK & CLEAR)



#### VAULTEX UD111

ANTI-SCRATCH ,99.9% UV PROTECTION COMPLY WITH ANSI Z87.1 CE EN 166F



#### VAULTEX UD151

ANTI-SCRATCH, IMPACT-RESISTANT,9 9.9% UV PROTECTION, FOG CRYSTAL TEMPLES WITH EN ANSI Z87. CE EN 166F



#### **VAULTEX UD71**

ANTI-SCRATCH, IMPACT-RESISTANT,9 9.9% UV PROTECTION, FOG CRYSTAL TEMPLES WITH EN ANSI Z87. CE EN 166F



#### VAULTEX UD91

ANTI-SCRATCH, IMPACT-RESISTANT,9 9.9% UV PROTECTION, FOG CRYSTAL TEMPLES WITH EN ANSI Z87. CE EN 166F



#### VAULTEX UD92

ANTI-SCRATCH, IMPACT-RESISTANT,9 9.9% UV PROTECTION, FOG CRYSTAL TEMPLES WITH EN ANSI Z87. CE EN 166F



#### **VAULTEX UD15**

ANTI-SCRATCH, Comply WITH EN ANSI Z87. CE EN 166F



#### **VAULTEX UD46**

DARK & CLEAR, ANTI-SCRATCH, Comply WITH EN ANSI Z87. CE EN 166F



#### ANTI-FOG/VENTS (TAIWAN)

USED FOR AVERAGE DUST CONDITION COMPLY WITH CE EN166 ANSI Z87



#### ANTI-FOG/VENTS (TAIWAN)

USED FOR AVERAGE DUST CONDITION COMPLY WITH CE EN 166 ANSI Z87

# **HELMETS**



Color: White, yellow, Red, Blue,

Green

Standard: EN397-2000



VAULTEX USA HELMETS WITHOUT VENTS

Color: White, yellow, Red,

Blue, Green

Standard: EN397-2000



**CHINA HELMETS** 

Color: White, yellow, Red,

Blue, Green



**UAE HELMETS** 

Color: White, yellow, Red, Blue, Green



**BUMP SAFETY CAPS** 

Color: navy blue



**JSP HELMETS** 

Color: orange, yellow, Green



WORK AT HEIGHT HELMETS

Color: White & Yellow



**RIDERS HELMETS** 



AUTO DARKENING HELMETS

# **RESPIRATORY GAS MASKS**



3M HALF FACEPIECE RESPIRATOR 6000 SERIES



VAULTEX HALF FACEPIECE RESPIRATOR 6000 SERIES



CHEMICAL RESPIRATOR NP305 SINGLE



CHEMICAL RESPIRATOR NP305 DOUBLE



BLUE FILTER MASK IN BLISTER CARD PACKING



#### **DUST MASKS**

- 1. BLUE BOX DUST MASK
- 2. YELLOW BOX MASK TAIWAN
- **3. 3N 8210 DUST MASKS**
- 4. Min9210 PARTICULATE RESPIRATOR

Recommended for sanding, sanding grinding, sawing, sweeping and insulating

**5. MIN 9213 Valved active carbon Particulate Respirator** 

Recommended for sanding, grinding, sawing, sweeping and insulating.



# FIRE EQUIPMENTS



#### FIRE EXTINGUISHERS

CO2, dry powder, foam , water




#### FIRE HOSE REEL

Aluminum couplings



#### DELIVERY HOSE

Aluminium coupling



#### **FIRE SIGNS**

Fire exit, Fire Assembly point, Fire Action Plan



#### **FIRE BLANKETS**

1.8m by 1.8 m, 1.2m by 1.2 m



HEAT DETECTOR



#### FIRST AID BOX

Red commercial box, white Aid Kit



#### FIRE SUIT


Consist of jacket. trouser, hand gl oves, balaclava, fireman boot, helmet



FIRE BUCKETS



SMOKE DETECTOR



**FIRE BALLS** 



FIRE ALARM SYSTEM

## GENERAL SAFETY



EYE WASH STATION



**CLIMBERS** 



**BEE SMOKER** 



**TOOL BOXES** 



**GRINDING DISCS** 



**CAUTION BOARDS** 

# **OUR SERVICES**





We do both screen printing and embroidery services

# FIRE EXTINGUISHER INSTALLATION & REPAIR

#### We guarantee you:

- 100% top quality
- **✓** Money back guarantee
- **✓** Timely delivery
- **✓** Friendly prices
- 100% customer satisfactory
- **✓** Wide variety of products



Auto Payroll Techniques<sup>TM</sup>
P. O Box 43961, 00100
Nine West Westlands
Tel: +254 727 325 417

Email: autopayrollhrms@gmail.com

Payroll Service Providers











**BRANDS: VUALTEX, SAFETY JOGGER, ROCKLANDER, 3M, EUROSAFETY** 

Your Safety Our Concern!